



T. 1 & 2, R. 1 W. 1<sup>st</sup> Mer.



T. 3, R. 1 W. 1<sup>st</sup> Mer.



*North Boundary of Township N<sup>o</sup> 2 Range N<sup>o</sup> 1 West of the Meridian.*

*1<sup>st</sup> Mile East from the Northwest corner*

- 24.75 A stream 25 lbs wide runs North, but little water  
28.66 A Buck 14 inches dia<sup>t</sup> on west side of a hill  
50.33 A White Oak 30 inches dia<sup>t</sup>, the land rich & fine timber  
60.18 A Blue Ash 26 inches dia<sup>t</sup>, the land rich with abundance of Ash, Oak, Sugar tree, & Beech covered with Spice Wood  
80.00 A post, corner of Sections 5 & 6 T. 2. & corner of Sec. 31 & 32 T. 3. from which a Sugar tree 20 inches dia<sup>t</sup> bears N 19° W. 28 lbs & Blue Ash 18 inches dia<sup>t</sup> bears S 78 E. 20 lbs. This mile rich & 1<sup>st</sup> rate land. Timber Oak Elm Beech & Sugar tree.

*2<sup>nd</sup> Mile East.*

- 18.00 A Creek runs North, but little water  
41.73 A stream runs North 45° W. little water  
44.50 A Blue Ash 8 inches dia<sup>t</sup> April 25<sup>th</sup> 1799.  
59.94 A Yellow locust 15 inches dia<sup>t</sup> on a rich ridge  
80.00 A post, corner of Sec. 4 & 5 T. 2. & corner of Sec. 33 & 34 T. 3 from which a Sugar tree 19 inches dia<sup>t</sup> bears S. 61° 30' E. 25 lbs. & another Sugar tree 10 inches dia<sup>t</sup> bears N 28° E 19 lbs. This mile 1<sup>st</sup> rate land, and continuation of ridges and gutters. Timber Oak, Ash, Sugar tree Elm, Beech & very brushy. Marked the trees by the plan.

*3<sup>rd</sup> Mile East.*

- 59.53. A Sugar tree 14 inches dia<sup>t</sup> on the East side of a hill  
80.00 A Post, corner of Sec. 3 & 4 T. 2. & corner of Sec. 33 & 34 T. 3. from which a Sugar tree 17 inches dia<sup>t</sup> bears S. 28 E. 27 lbs & a White Oak 24 inches dia<sup>t</sup> bears N. 50° W. 19 lbs. This mile 1<sup>st</sup> rate land, fit for the cultivation of small grain Hemp & Tobacco. & all ridges & gutters

*4<sup>th</sup> Mile East*

- 20.60 A stream 18 lbs wide runs North  
33.00 A Spruce 11 inches dia<sup>t</sup> on N side of a hill



## S. 1. + 2. R. 1. W.

61.16 A Hickory 16 inches dia. on a rich ridge covered with Spice, woods & Briers.

00.00 A post, corner of Sec. 34 & 35. T. 3. & Corner. Sec. 2 & 3. T. 2. from which a Sugar tree 11 inches dia. has S 34. 30. W. 25 1/2 mls. Another Sugar tree 9 inches dia. has N 31. W. 4 mls This mile 1<sup>st</sup> rate land Timber Ash Oak Elm Buck Sugar tree & exceedingly covered with Spice, Briers &c, ridges & deep gullies, marked the trees by the plan

5<sup>th</sup> Mile East,

25.11 A Elm Oak 5 inches dia. North side of a rich ridge

52.60 A Buck 30 inches dia. on North side of a steep hill

00.00 A post on East Bank of a small run corner of Sec. 35 & 36. T. 3. & corner of Sec. 1 & 2. T. 2. R. 1. from which a white Oak 10 inches dia. has S. 7. W. & a Buckeye 8 inches dia. has N 30. E. 3 1/2 mls This mile 1<sup>st</sup> rate land, all ridges. much dead timber & a very great quantity of Spice.

6<sup>th</sup> Mile East

28.45 A Buckeye 15 inches dia. on East side of a hill

30.37 A Water course to the side, runs S 15 E. little water

49.58 A Hickory 8 inches dia., on S. side of a hill

75.00 A large Lick 25 mls S. of the line, no salt

00.00 A post, corner of T. 1. & 2. R. 1. E. & T. 2. & 3. R. 1.

W. of the Meridian from which a Buck 11 inches dia. has S 22. 30. E. 2 1/4 mls & another

Buck 15 inches dia. has N 10. W. 9 mls This

mile 1<sup>st</sup> rate land, very large ridges with Oak Oak Sugar tree, Buck, Hickory, &c Underbrush, Spice &c, marked the trees by the plan

South Boundary T. 2. Range 21. W. of the Meridian

1<sup>st</sup> Mile East from the Southwest corner.

10.90 A Buck 14 inches dia. on west side of a rich ridge

- generally Beech Timber, but little brush.
- 56.05 Dam Hole Creek runs South, a small rapid  
stream.
- 61.57 A Beech 24 inches dia. on West side of a steep ridge
- 80.00 A Post corner of Sec. 31. & 32. T. 2 & corner of Sec  
5 & 6 T. 1. R. 1. W. from which a Sugar tree 10 inches  
dia. bears S 58 E. 24 1/2 lbs. & a Walnut 12 inches dia. S  
bears N 74 W 35 1/2 lbs. This mile 1<sup>st</sup> rate land  
ridges & gutters timbered. with Ash. Oak  
Sugar Beech Buckeye Walnut & much Spruce

2<sup>nd</sup> Mile East

- 8.27 The Ohio River from which a Maple 14 inches dia  
bears S 55 E. 43 1/2 lbs. & a Sycamore 14 inches dia.  
bears N 19 W 43 lbs. This fraction 1<sup>st</sup> rate of fine timber  
Marked & numbered the trees by the plan, returned  
to the town corner and could proceed no farther,  
for the rain, which continued without  
intermission for 24 hours. April 30<sup>th</sup> 1899.

East Boundary of Township N. 2. Range N. 1. West  
of the Meridian.

1<sup>st</sup> Mile South from the North East Corner.

- 15.16 A stream 25 lbs wide runs West, here stands an Ash 24  
inches dia. on N. bank
- 37.25 Over a steep hill to a deep gutter
- 65.05 A Gum 6 inches in dia.
- 80.00 A Post corner of section 18 & 19. T. 2. R. 1. W. & corner of  
Sec. 6 & 7. T. 2. R. 1. E of the Meridian, from which  
a Beech 7 inches dia. bears W 33 E 13 lbs. & a  
Beech 24 inches dia. bears S 45 30 W. 13 1/2 lbs. This  
mile land 2<sup>nd</sup> rate, ridges & gutters, generally Beech  
timber but little brush.

2<sup>nd</sup> Mile South

- 54.50 The east end of an improvement,

## T. 1. &amp; 2. R. 1. W.

- 57.50 A Stream 60 yds wide runs, then meanders south &c, in an overflowed bottom.  
 66.65 Another 4 inches dia<sup>t</sup> in same overflowed flat  
 80.00 A post, corner of Sec. 7. & 18. T. 1. R. 1. E. & corner of Sec. 12 & 13. T. 2. R. 1. W. of the meridian from which a Buck 7 inches dia<sup>t</sup> bears S 26° 30' W 27 yds. & another Buck 10 inches dia<sup>t</sup> bears N 31° E 30 1/2 yds. This mile generally rich & prairie much cut with gutters. Timber. Ash Oak Elm Sugar trees Buck Hickory &c but little underbrush. Marked by the glass.

3<sup>d</sup> Mile South

- 8.99 A white 4 inches diameter, blazed on both sides, on the bank of the Ohio. from which a Sycamore 7 inches diameter bears N 73° 30' W 20 yds. & another Sycamore 20 inches dia<sup>t</sup> bears N 10° 30' E 49 yds. The land as before described; in this fraction stands a good Cabin. The land all clear. Marked &c

## West Boundary Township N. 2. Range N. 1. W. of the Meridian

1<sup>st</sup> Mile South from the Northwest corner

- 34.50 A white Oak 16 inches dia<sup>t</sup> on a ridge land & prairie good timber, Oak Hickory &c.  
 69.19 A Gum 28 inches dia<sup>t</sup>; land good & prairie, with Oak Oak Hickory &c  
 80.00 A Post from which a Gum 10 inches in diameter bears N 35° W 12 yds. & white Oak 26 inches diameter bears S. 35° E 19 1/2 yds. This mile rich & prairie timber ash Oak Elm Hickory, and uniform succession of ridges & gutters.

2<sup>d</sup> Mile South

- 21.64 A Gum six inches dia<sup>t</sup> the land the same as before described.

71.87 A Beech 7 inches dia.  
 80.00 A Post from which a Maple 6 inches dia.  
 bears N 28 W. 8 lbs + a Beech 10 inches dia. bears  
 N 86 E 28 lbs. This mile the same as the pro-  
 ceeding, soil timber ridges &c. Marked &c

3<sup>rd</sup> Mile South

19.00 A Beech 28 inches dia. on a ridge.  
 51.00 A Beech 18 inches dia.  
 50.13 A Blue Ash, 15 inches dia. rich land &c  
 80.00 A Post from which a Sugar tree 13 inches dia.  
 bears S 49 E. 25 lbs + a Beech 15 inches dia. bears  
 N 59 W. 50 lbs. This mile 1<sup>st</sup> rate land, mostly  
 level, timber, ash Oak, Elm Sugar, &c.

4<sup>th</sup> Mile South

25.00 A Strong steep hill descending to the bottom  
 37.63 Long lick creek 50 lbs wide, rapid water, runs  
 S 20° W  
 43.50 South Bank of same creek  
 50.14 A gutter runs to the creek from N.E. filled with  
 fine stones for building  
 80.00 A Post from which a Beech 10 inches dia.  
 bears S. 36 E. 47 lbs + another beech 18 inches in  
 dia. bears N 53° W. 14 lbs. This mile ridges  
 gutters, precipices &c, land 1<sup>st</sup> rate, timbered  
 as the preceding, much spice &c, Marked the  
 way by the plane.

5<sup>th</sup> Mile South

15.91 A White Oak, 13 inches dia. on South side of a hill  
 24.00 About 150 lbs wide lies a large lick, no salt  
 discoverable to the taste  
 31.66 A stream 15 lbs wide, but little water, runs West  
 34.33 North side of Log lick creek, shallow + no current,  
 150 lbs wide, runs S.E. 22 lbs to South bank.



## S. 1 &amp; 2. R. 1. W.

- 47.00 Middle of same stream 300 yds. wide, runs S.W.  
 60.50 A gutter with fine stones enters the creek west  
 80.00 A post, from which Beech 12 inches dia. bears  
 S 85 E 45 yds & another Beech 11 inches dia.  
 bears S 79 W 20 yds. This mile 1<sup>st</sup> rate land, high  
 & uneven ridges & deep gutters; timber Ash, Oak,  
 Hickory, Elm, & Walnut; but little Underbrush.  
 Monday April 29<sup>th</sup> 1799.

8<sup>th</sup> Mile South.

- 35.00 A Beech 19 inches diameter, rich lands and  
 clear open woods.  
 52.25 Log lick 50 yds wide, runs East gentle current  
 68.25 Log lick creek, runs west, gentle current  
 71.93 A Beech 30 inches in diameter  
 80.00 A post corner of S. 1 & 2. Range 1. & corner of  
 S. 1 & 2. Range 2. West of the Meridian, from  
 which a Hickory 7 inches dia. bears S 82 W 10 yds  
 & a Sugar tree 15 inches dia. bears N 77 E 20 yds.  
 This mile 1<sup>st</sup> rate & more level than the preceding  
 with fine timber, Ash, Oak Elm, Hickory Beech  
 & Sugar tree &c. much Spice Wood marked the  
 trees by the plan.

## East Return Section 19 &amp; 30

- 19.02 An Ash 14 inches dia. on a high ridge  
 44.29 A Sugar tree 28 inches dia. on the top of a  
 tremendous hill.  
 80.00 A post corner of sec. 19. 20. 29. 30. from which  
 a Beech 10 inches dia. bears N 51 W 35 yds &  
 another Beech 8 inches in dia. bears S 10. 30 E.  
 13 yds. This mile 2<sup>nd</sup> rate land, exceeding high and  
 uneven ridges, covered with ash Oak Elm  
 Sugar tree, & much Beech.

Comp. 2/



East Between Sec 20 & 29

17.00 A Stream 25 lbs wide, a stony channel runs  
S.W. W. has but little water

40.79 A Beech 14 inches dia<sup>t</sup> on a ridge

52.00 A Rich ridge, on which stands many large yellow  
Locusts.

80.00 A Post corner of Sec. 20. 21. 28 & 29. This mile the  
same as the preceding, soil timber, ridges &c

East Between Sec. 7 & 18.

13.29 A Stream 12 lbs wide, runs South, but little water

30.74 A Hickory 8 inches in dia<sup>t</sup> on east side of ridge

80.00 A Post, corner of Section, 7. 8. 17 & 18, from which  
an Oak 18 inches diameter bears N 12 1/2 W 36 1/2  
a Gum 10 inches dia<sup>t</sup> bears S 27 30 E. 30 lbs

This mile 2<sup>d</sup> rate Land, ridges & deep gutters;  
timber ash, Oak, Hickory & Beech not much  
underbrush.

East Between Sec. 8 & 17.

35.88 An Oak 14 inches dia<sup>t</sup>

45.50 A Stream 30 lbs wide runs South, but little water

80.00 A Post corner of Sec. 8. 9. 16 & 17. This mile 2<sup>d</sup> rate  
land, & timber like the preceding. high & narrow  
ridges, deep gutters & but little underbrush.

South Between Sec. 4 & 5.

11.00 An Oak 20 inches dia<sup>t</sup>

25.00 From the post here 1<sup>st</sup> rate land, now 2<sup>d</sup> rate, ridge

44.43 A White Oak 14 inches dia<sup>t</sup> the land again 1<sup>st</sup>  
rate & covered with Spicewood

46.32 A Stream 10 lbs wide runs West, little water

80.00 A Post corner of Sec. 4. 5. 8 & 9. From which a  
Beech 18 inches dia<sup>t</sup> bears S 78 E 30 lbs & a  
Gum 14 inches dia<sup>t</sup> bears N 74 30 W 42 lbs. This  
mile 1<sup>st</sup> & 2<sup>d</sup> rate land as described; the great

## S. 1. &amp; 2. R. 1. W.

body & rate fit for the cultivation of small grain, Timber Oak Oak Sugar Walnut & much Spice, large, moderate, ridges.

South Between Sec. 8. & 9.

12.71 1/2 A Black Oak 18 inches dia.

31.79 An Oak, 15 inches diameter.

80.48 1/2 Intersected the line, ran East from corner of Sec. 7. & 18, 79 lks East of the measure. here set my post corner sections 8. 9. 16. & 17. From which a Beech 18 inches dia. bran N 25 W 25 lks & another Beech 7 inches dia. bran S 13 W 18 1/2 lks. This mile 2 1/2 rate land, with Oak Oak some Walnut. Hickory & Beech Mudstruck. Spice wood & Brins. Marked by the plan. May 6. 1799.

East Between Sec. 9. & 16.

13.58 A Hickory 20 inches dia.

45.95 A Stream 25 lks wide, runs South, rapid current, it appears to be sometimes dry.

50.13 Gum 12 inches dia.

77.50 A Stream 30 lks wide has a rapid current & stony channel runs South, little water

80.00 A post corner of sections 9. 10. 15 & 16. From which a Sugar tree 6 inches dia. bran N 37 E 21 lks & another Sugar tree 6 inches dia. bran S 32 W 25 lks. This mile 2 1/2 rate land, with excellent timber, Oak Oak Beech. Hickory. Sugar & no mudstruck

East Between Sec. 10. & 15.

46.25 A Hickory 18 inches dia.

56.00 A Stream 35 lks wide runs S 20 W, rapid current & stony channel.

80.00 A post corner of sect. 10, 11, 14, & 15. This mile good 2 1/2 rate land, uneven ridges and deep

gutters, with Oak Ash Elm Beech, Sugar  
 &c, round bushes

South Return Sec. 2. & 3.

51.00 A Sugar tree 20 inches dia<sup>t</sup>

16.41 A White Oak 54 inches dia<sup>t</sup>

80.00 A Post corner of Sec. 2. 3. 10. & 11. from which  
 a Beech 11 inches dia<sup>t</sup> bears S 59° W. 32½  
 lbs & another Beech 8 inches dia<sup>t</sup> bears N  
 87° E. 5 lbs. This mile 1<sup>st</sup> rate land exceedingly  
 covered with Spicewood all killed by fire  
 timbered as the preceding.

South Return Sec. 10. & 11.

16.12 A Beech 5 inches dia<sup>t</sup>

30.00 A Stream, 12 lbs wide, runs South little water

51.13 A Beech 13 inches dia<sup>t</sup>

80.7½ Intersected the line run East, from Cor.  
 Sec. 8. 9. 16. & 17. 150 lbs East of the meridian  
 then fixed the post cor of Sec. 10. 11. 14. & 15  
 from which a Beech 21 inches dia<sup>t</sup> bears N.  
 5° E. 28 lbs. & another Beech 11 inches dia<sup>t</sup>  
 bears S. 13° W. 19 lbs. This mile 1<sup>st</sup> rate land  
 large narrow ridges & gutters, with abundance  
 of fine timber, Oak. Ash. Elm Beech Sugar  
 Hickory &c Marked by the plan.

East Return Sec. 11. & 14.

24.50 A Stream 8 lbs wide, runs South, little water

27.90 A Beech 8 inches diameter, rich hill

67.00 A Stream 15 lbs wide, a stream comes in on  
 the North of the line, runs North.

80.00 A post corner of Sec. 11. 12. 13. & 14. from which  
 a Beech 10 inches dia<sup>t</sup> bears N. 12° W. 11 lbs &  
 another Beech 9 inches dia<sup>t</sup> bears S. 4° W. 16 lbs.  
 This mile 1<sup>st</sup> rate land, exceedingly hilly, timber

# Sp. N. 1. W.

Ash, Oak, Elm, Sugar-tree, Beech, Hickory &c.  
Underbrush & Spice in abundance.

East. Between Secs. 12 & 13.

44.61. A Sugar-tree 11 inches dia<sup>t</sup>, on North side of a hill.

47.00 Here crossed the stream mentioned in last mile,  
passed the line South

50.83 A Beech 24 inches dia<sup>t</sup>, here we rrrd, stopped by the  
Back water of the Ohio. Returned May 14<sup>th</sup> &  
continued the line.

52.00 A deep gutter 100 yds wide, now a hr

62.50 A stream 10 yds wide, runs north

65.48 Same stream, runs South gentle current

81.20 Intersected the east boundary of town 2, 63 1/2  
yds. south of first on said line. And established  
the corner of Secs. 12 & 13. T. 2. from which a  
Beech 5 inches dia<sup>t</sup>, bears N 76 1/2 E 4 1/2 yds and  
another Beech 30 inches dia<sup>t</sup>, bears S 16 E 13 yds  
This mile 1<sup>st</sup> rate land, very hilly; good timber  
Ash, Oak, Elm, Sugar-tree Hickory & Beech, from  
the gutter (52). To this post the land generally  
overflows very high fresh in the Ohio River. Marked  
the line by the plan.

South Between Secs. 14 & 15.

44.32 A Beech 10 inches dia<sup>t</sup>.

44.27 A Black Oak 30 inches dia<sup>t</sup>.

68.78 A Beech 11 inches dia<sup>t</sup>.

80.00 A post corner of Secs. 14, 15, 22, & 23. from which  
a Beech 17 inches dia<sup>t</sup>, bears S. 85 E. 28 yds. &  
an oak 28 inches dia<sup>t</sup>, bears N 78 W 18 yds. This  
mile, rich 2<sup>nd</sup> rate land large moderate  
ridges with fine timber, Oak, Oak, Elm,  
Sugar-tree, Hickory & Beech, but little  
underbrush.



South of Between Sec. 22. & 23.

- 14.00 Descended a steep hill to the bottom  
 15.71 A Gulch with little water  
 58.78 At Blue Oak 26 inches dia.  
 63.00 Briars cross so the wide to the west of the line  
 74.00 A Stream 200 yds. wide runs west to the creek  
 80.00 A Post corner of Sec. 22, 23, 26 & 27. This mile  
 1<sup>st</sup> rate land, extraordinary hilly, has deep  
 gutters & short broken ridges, timber the same  
 as the preceding.
- 

South Between Sec. 16. & 17.

- 9.68. Beech 18 inches dia.  
 16.25. A Stream 15.00 wide, runs E.E. little water  
 43.48 At Beech 8 inches dia., rich Beech land, not  
 much underbrush (gentle ridges)  
 60.00 A Post corner of Sec 16 & 17. 208 yds from which  
 at Blue Oak 10 inches dia. bear S 20. E. 28 yds  
 & an Elm 11 inches dia. bear N. 48 W. 44 yds  
 This mile the land prime 1<sup>st</sup> rate, uneven &  
 broken, with good timber, Oak, Oak, Elm  
 Hickory, Beech, Walnut Sugar tree & little  
 underbrush.
- 

South Between Sec. 20. & 21.

- 4.64 A Stream 10 yds, not very little water, runs E. & S.  
 14.63 A Beech 7 inches dia.  
 89.30 $\frac{1}{2}$  Intersected the line, run east from the  
 corner of Sec 19 & 30. 188 yds East of the corner  
 then fixed a post corner of Sec. 20. 21. 28. & 29  
 from which at Buckeye, bear N 26 E 13 $\frac{1}{2}$  yds  
 & at Buck 5 inches dia. bear S 29 W 31 yds.  
 This mile, 1<sup>st</sup> rate land, large uneven ridges &  
 deep gutters, timber Oak, Oak, Elm, Sugar &c.  
 Marked the trees by the plan.
-



## S. 1 &amp; 2. N. 1. W.

East & Between Sec. 21 & 28.

25.47 An Elm 18 inches in dia<sup>t</sup>

80.00 At Post corner of Sec. 21. 22. 27. 28. from which  
a Buckeye 11 inches dia<sup>t</sup> bears S. 88 E. 44 1/2 lbs  
& at Beech 10 inches dia<sup>t</sup> bears N 75. W 39 lbs.

This mile 1<sup>st</sup> rate land, broken ridges & deep gutters,  
timber ash Oak Elm, Beech Sugar tree, Poplar  
& much Spicewood.

East & Between Sec 22 & 27.

16.48 An Ash 56 inches dia<sup>t</sup> on South side of a hill

75.39 Outside of Trians creek 63 lbs wide guth current

80.85 Intersected the line run south from corner  
of Sec. 10. 11. 14. & 15, 39 1/2 lbs N of measure  
then fixed my post cor. of Sec. 22. 23. 26 & 27 from  
which a Beech 6 inches dia bears S 66 W. 42 1/2 lbs  
& another Beech 24 inches dia<sup>t</sup> bears N 39 E 21 lbs  
This mile 1<sup>st</sup> rate land, exceedingly broken, ridges  
& gutters, timbered as the preceding with much  
Spicewood &c. Marked by the plan May 8. 1899.

South & Between Sec. 26 & 27.

35.34 A Beech 5 inches dia<sup>t</sup>

51.50 On top of a tremendous hill between two Indian  
Monads.

80.00 A Beech 24 inches dia<sup>t</sup> cor. of Sec. 26. 27. 34. & 35

from which a Beech 26 inches dia<sup>t</sup> bears S. 52 E. 35

lbs. & another Beech 6 inches dia<sup>t</sup> bears N 64 W.

21 lbs. This mile 2<sup>nd</sup> rate land, much broken  
ridges & gutters, timber Ash, Oak, Hickory, Sugar tree  
& much Beech Nutsbush, generally Spicewood.

South & Between Sec. 34 & 35

21.04 A Creek 4 ft wide runs West, but little water

49.73 At Post on the Bank of the Ohio River, from which  
an Elm 10 inches bears S. 80 E. 5 lbs & a Sycamore

9 inches dia. beam N 40 W. 22. 1/2 Ms. From the creek to the river, the land level & exceedingly rich, of a superior quality, but little timber, generally Buckeye Sugar tree & 4 Bush, with much Spice wood & poplar. Marked & numbered the trees by the plan.

Smith & Peterson Sec. 28 & 29.

14.82 A Beech 18 inches dia.

34.25 A Mahoe curved beam West. no water

52.74 A Beech 13 inches dia.

80.00 A Post corner of Sec. 28. 29. 32. 33. from which a Beech 13 inches dia. beam N 87 E 15 1/2 Ms & a Hickory 14 inches dia. beam N 58 W 30 1/2 Ms This mile 1<sup>st</sup> rate land, one uniform succession of high broken ridges & deep gutters, timber Ash. Oak. Sugar tree, Hickory, Beech, &c

Smith & Peterson Sec. 30. & 33.

10.00 Top of a tremendous hill

19.50 The bottom of a deep gutter, with water

21.00 The appearance of a mighty eruption, several acres with the trees &c carried from 1 to 40 paces.

37.41 Bank of the Ohio River, here fixed a post with 3 notches corner of Sec. 30. & 33. from which a Sycamore 12 inches dia. beam East 3 1/2 Ms. & a Maple 18 inches dia. beam N 83 W 15 1/2 Ms, from the last post to the river the land exceedingly broken, more precipices & much underbrush, Marked the trees by the plan. May. 9<sup>th</sup> 1799.

East Between Sec. 25. & 26.

33.06 A Ohio Ash 16 inches dia.

53.04 A Beech 15 inches dia.

## T. &amp; R. A. W.

80.00 A Post. corner of sec. 23, 24, 25 & 26. From which  
a Hackberry. 7 inches dia. & bran, S 62 1/2 W. 7 lks  
& an Oak 30 inches, dia. & bran, N 20 E 23 lks.  
This mile 1/2 State land, timber Oak Oak Elm  
Sugar Beech Lym, Underbrush Spice &  
Gawpaw.

East 1/2 Sec. 24, 25.

43.18 A Beech 30 inches dia.

50.25 Top of a precipice above the river.

67.45 A Post on the Bank of the Ohio River  
between sec. 24 & 25, from which an Elm 15 inches  
dia. & bran N 75.30 W. 38 lks & a Maple 30 inches  
dia. & bran S 15 E. 38 lks. From the last post  
to the river hill land 1/2 rate, from thence to  
the river an extraordinary rough worthless  
piece of land, with good timber & much Spice.  
Marked the line by the plan.

Subdivision of 2 mile Blocks.

Town 182. Range 1 West of the 1<sup>st</sup> Meridian.

Hence travelled To Town 2 Range 1 West.

East on Landau Line, between Sec. 6 & 7.

39.25 A Brook 6 lks wide course North

40.00 Set temporary 1/4 sec. post

80.00 Set temporary center post

East Continued East Between Sec. 5 & 6

5.45 A Brook 6 lks wide course N. E.

10.00 A Brook 7 lks wide course North

40.00 Set temporary 1/4 sec. post

71.00 A Brook 7 lks wide, course North

79.15 Set 108 lks south of the post corner of sec.  
4, 5, 8 & 9. Thru two miles moderate ridges 1/2 rate  
land. Timber Oak. Hickory Beech, &c.  
Spice - moss &c.

West Corrected the line west between Sec. 5 & 8  
 & set temporary  $\frac{1}{4}$  Sec. post. at average  
 distance on true line, Corrected the line  
 west between Sec. 6 & 7 & set  $\frac{1}{4}$  sec. post  
 at average distance on true line.

South. Random line South between Sec. 5th. S. 2. R. 1. W.  
 26.00 At Brook. six line wide course East  
 40.00 Set temporary  $\frac{1}{4}$  Sec. post.  
 80.54 Crossed the East & West line. This mile large  
 hills, & their surface generally covered with  
 stones. Timber. Ash. Oak. Buck. Sugar tree  
 Spruce &c

South Continued South between Sec. 7. & 8.  
 40.00 Set  $\frac{1}{4}$  Sec. Post.  
 78.27 Fell 28 lbs East of the post corner to Sec  
 6 & 7. This mile level land, 2 rate Timber  
 as the preceding, marked the trees by  
 the plan.

North Corrected the line North between Sec. 7 & 8  
 set  $\frac{1}{4}$  sec. post. on true line at average, when  
 a W. Oak. 20 inches diam N 80 W. 30 lbs & a  
 W. Oak. 10 inches diam S 42 E. - Continued  
 North & fell 22 lbs west of temporary post.  
 Moved it to the center corner of Sec. 5, 6, 7 & 8. when  
 a Mulberry 6 inches diam, diam S 16 E. 19 lbs & an  
 Ash 7 inches diam N. 14. W. =

West Then West between Sec 6 & 7. and moved the  
 $\frac{1}{4}$  Sec post to the average measure, when a W.  
 Oak 24 inches diam S 14 E. 30 lbs. & a Dogwood 3 inches  
 diam N 34 W 15 lbs, thence East between Sec 5 & 8  
 & moved the  $\frac{1}{4}$  Sec post to the average distance  
 when a Dogwood 6 inches, diam S 41 E. 9 lbs, & an



## S. 1. &amp; V. R. 1. W.

Clear birches brans. N 68 W. 21 1/2 Mts.

North Thence North on true line. from center post, between Sec. 5 & 6. set 1/4 Sec post at average distance. Then a Sugar 14 inches brans North 57 W. 27 Mts & a Sugar 18 inches brans S 70 E. 27 Mts. Continue North to the corner on true line

East On Random line East between Sec. 4 & 9. S. V. R. 1.  
40.00 Set temporary 1/4 Sec. post,  
80.00 Set temporary center post. This mile large ridges. Timber Oak Hickory & Beech. Spice & Beech

East Continued East between Sec. 3 & 10.  
10.47 A. Brooke 7 Mts wide course South  
40.00 Set temporary 1/4 Sec. post.  
79.25 full 30 Mts South of the post corner of Sec. 2.  
3. 10. 11. This mile moderate ridges 2 mts land. Timber, Oak & Beech Oak Gum Hickory & C. Logwood & Spice &c.

West Corrected the line between Sec. 3 & 10. S. V. R. 1.  
Set temporary 1/4 Sec post at average distance on true line. Corrected the line between Sec. 4 & 9. Set temporary 1/4 Sec. post at average distance on true line.

North Random Line North between Sec 9 & 10. S. V. R. 1.  
10.50 A. Brooke 30 Mts wide course S. W. but little water  
40.00 Set temporary 1/4 sec. post  
79.85 Cross East & West line, This mile very hilly, timber with Oak Ash & Beech.

North Continued North between Sec. 3 & 4.  
40.00 Set temporary 1/4 Sec. post,



79.40 Fell 74 lks East of the Post cor. to Sec. 3 & 4.  
This mile the land & timber same as the  
above.

South Corrected the line South between Sec 3 & 4 S. 1. & 2. R. 1. W.  
Set  $\frac{1}{4}$  sec. post at average distance on true line,  
where a cherry 22 inches diam N 65 E 24 lks & an  
Ash 20 inches diam S 30 W 8 lks. Continued South on  
true line & fell 72 lks west of the temporary post  
moved it to the center corner of Sec. 3, 4, 9, & 10  
where a Sugar 16 inches diam N 60 E 32 lks &  
an Elm 10 inches diam S 29 W 9 lks. Marked  
the trees by the plan.

West Thence West between Sec. 4 & 9 & moved the  $\frac{1}{4}$   
Sec post to the average distance, where a Mulberry  
8 inches diam N 45 W 4 lks. & a Beech 6 inches diam S  
39 W 4 lks.

East Thence East between Sections 3 & 10. & moved the  
 $\frac{1}{4}$  Sec. post to the average distance, where an Ash  
8 inches diam S 2 E 19 lks. & an ash 19 inches  
diam N 35 W 25 lks.

South Thence South from Center Post on true line  
between Sec 9 & 10. Set  $\frac{1}{4}$  Sec. post at average  
distance, where a Hickory 20 inches diam N 71  
E 3 lks & a Beech 20 inches diam S 83 W 49 lks.  
Continued South to corner of Sec. 9, 10, 15, & 16.  
Marked the trees by the plan.

East Random Line East Between Sec. 2 & 11. S. 2. R. 1.  
40.00 Set temporary  $\frac{1}{4}$  Sec post  
80.00 Set temporary Center post This mile of State  
land. Timber, Oak, Ash, Elm, Walnut &c

# S. 1. & V. R. 1. W.

East Continue East between Sec. 1 & 12. S. 2. R. 1.

25.00 A. tremendous hill, very stony

40.00 Set temporary  $\frac{1}{4}$  sec. post

40.58 At Brook, 400 yds wide course N.E.

67.00 Johnsons Run, 400 yds wide course S.E.

71.25 Same Run course N.E.

73.25 Same Run course N.E.

81.00 Fell 170 yds south of the post corner to Sec. 1 & 12. This mile very great hills, Timber  
Same oc.

West Corrected the line West between Sec. 1 & 12  
S. 2. R. 1. W.

Set temporary  $\frac{1}{4}$  Sec post, at average distance  
on true line, & corrected the line between  
Sec. 1 & 12. Set temporary  $\frac{1}{4}$  sec post at  
average distance on true line.

North Random Line North between Sec 1 & 12. S. 2.  
R. 1.

9.00 Johnsons Run, 200 yds wide course N.E.

40.00 Set temporary  $\frac{1}{4}$  sec. post

80.14 Cross the East & West line. This mile 1<sup>st</sup>  
note, land large hills, Timber. Oak, Oak  
Locust Walnut. Sugar. Elm, &c. Spruce  
Pawpaw.

North Continue North between Sec. 1 & 12. S. 2. R. 1. W.

40.00 Set temporary  $\frac{1}{4}$  Sec. post, on top of a  
steep hill

76.12 At Brook 100 yds wide course S.E.

80.01 Fell 40 yds East of the post corner to  
Sec. 1 & 2. This mile exceedingly hilly  
Timber &c. same.

South Correlate this line South between Sec 11 & 12  
S. 1. R. 1. W.

Set  $\frac{1}{4}$  sec post, on true line at average  
distance when a Sugar 14 inches, bears S  
43 N. 15 lbs & a Sugar 6 inches, bears N 48 E. 9 lbs.  
Continue South on true line & few 71 lbs East  
of temporary post, move it to the center cor.  
of Sec. 1. 2. 11. & 12. when a 10 lb Locust,  
14 inches, bears N 40 E. 2 lbs. & a Walnut  
East 16 inches bears S. 6 W. 34 lbs. Thence East  
between Sect. 11 & 12. & move the  $\frac{1}{4}$  sec  
post to the average distance, when a Sugar  
8 inches, bears S 49 E 35 lbs & a Beech 20 inches  
bears N 50 W 39 lbs. This post stands in a  
branch.

---

West. Thence West between Sec. 2 & 11. and move the  
the  $\frac{1}{4}$  sec. post to the average distance, when  
a Hickory 24 inches, bears N 3 W. 3 lbs. & a Hickory  
14 inches, bears S 20 W. 34 lbs. (on the top of a high  
ridge.

---

South Thence South on true line between Sec 11 & 12.  
S. 1. R. 1. W. Set  $\frac{1}{4}$  sec. post at average distance  
when an Oak 30 inches, bears S. 21 E. 10 lbs. &  
a Beech 19 inches, bears S 30 W. 9 lbs. Thence  
to corner of Sec. 11. 12. 13. & 14.

---

East. Having no fixed post to run to, I proceeded  
to Run East between Sec. 14 & 23. S. 1. R. 1. W.  
40.00 Set temporary  $\frac{1}{4}$  sec. post.  
43.20 At Brook 10 lbs side, Course South  
46.60 At Brook 10 lbs side Course S. W.  
79.20 At Brook 10 lbs side, Course South  
80.00 Set temporary Center post, this mile large Hills  
2 mile land. Timber ash Oak & Beech Elm,

## S. 1. &amp; 2. R. 1. W.

Sugar & but little underbrush.

East. Continue East on true line between Sec 13 & 24.  
 10.80 At Brook 6 1/2 miles Course South  
 38.50 At Brook 6 1/2 miles Course S.E.  
 40.00 Set temporary 1/4 Sec. Post  
 42.24 The Banks of the Ohio River here set a post  
 at low water mark, from which a Sycamore  
 10 inches diam N 33 W. 8 lks. & a Sycamore  
 15 inches diam S 10 W. 4 1/2 lks. The land &  
 timber the same

South. Random Line South, between Sec 13 & 14.  
 S. 2. R. 1.

20.50 At Brook. 12 lks mid course South  
 40.00 Set temporary 1/4 Sec. Post.  
 83.05 Cross the East West line. This mile large  
 hills. Prate land. Timber, Oak Ash Elm  
 Beech Sugar, Spruce &c.

South. Continue South between Sec. 23 & 24. S. 2. R. 1.

28.87 At Brook, 5 1/2 miles Course N.E.  
 32.07 At Brook 10 lks mid Course N.E.  
 40.00 Set temporary 1/4 Sec post.  
 53.91 At Brook. 8 lks mid Course N.E.  
 77.28. Fell 200 lks East of the post onto Sec.  
 23. 24. 25. 26. This line very broken Prate  
 land. Timber the same

North. Corrected the line North between Sec 23 & 24, &  
 set a 1/4 sec. post at the average distance on true  
 line where a Beech 24 inches diam S. 89 E. 24 lks  
 & a Beech 9 inches diam N 57 W 10 lks, Continue on  
 true line & fell 108 lks East of the temporary post.  
 Insert it to the center corner of section, 13. 14. 23. & 24



When on line 10 inches brass S. 6. E. 30 lbs. & a  
Beck 7 inches brass N 5 W 20 lbs.

West Then travelled west between Sec 14 & 23 & made  
the  $\frac{1}{4}$  sec. post to the average distance, when a  
Sugar 12 inches brass S 27 W 37 lbs. & a Sugar 9 inch  
brass N 53 E 5 lbs.

North Then North from center post, on true line between  
Sec. 12 & 14. & made the  $\frac{1}{4}$  sec. post to the average  
distance, when a Hackberry 11 inches, brass N.  
70 E. 22 lbs. & a Buckeye 10 inches, brass N 34 W  
13 lbs. Continued to corner of Sec. 11, 12, 13 & 14

East. Random Line East between Sec. 16 & 21. T. 1. R. 1. W.  
14.62 A Brook 15 lbs wide course N.E. (no running water)  
40.00 Set temporary  $\frac{1}{4}$  sec. post  
74.40 A Brook 6 lbs wide course S.E. (no running water)  
80.00 Set temporary center post. This mile moderate  
ridges good 2<sup>nd</sup> rate land. Timber Oak, Elm, Beech  
Sugar Walnut, Spice & nutmeg.

East Continue East between Sec. 15 & 22.  
35.54 A Brook 15 lbs wide course S. W. (no water to be found).  
40.00 Set temporary  $\frac{1}{4}$  sec. post  
69.10 A Brook 15 lbs wide course S. W. (no water).  
81.09 Set 46 lbs north of the post corner of Sec. 14, 15, 22, & 23  
This mile much broken 2<sup>nd</sup> rate land. Timber as the  
preceding.

West Corrected the line west between Sec. 15 & 22  
Set temporary  $\frac{1}{4}$  sec. post, on true line at average  
distance, & corrected the line between Sec. 16 & 21.  
T. 1. R. 1. Set  $\frac{1}{4}$  sec post on true line at average distance.



# *T. & V. R. 1. W.*

*South Random Line South between Sec. 15 & 16 T. 4. R. 1. W.*

- 7.65 a Water Course 8 1/2 lbs wide brass West. no water  
 25.00 a Water Course 10 lbs wide brass West. no water  
 40.00 Set temporary 1/4 Sec. post.  
 50.00 Water course 11 lbs wide course West (no water)  
 80.00 Cross the line, run East & West. Land broken large hills  
 Crab Land. Timber generally Beech Ash Oak & Spruce.

*South Continue South between Sec. 21 & 22 T. 4. R. 1. W.*

- 2.57 a Water course 50 lbs wide course S. E. no water  
 23.96 a water course 30 lbs wide course East. no water  
 40.00 Set temporary 1/4 sec post  
 64.10 a water course 20 lbs wide, course N. E., no water  
 80.53 Fell 139 lbs west of the post cor. to Sec. 21. 22. 26. 27.  
 This mile, the surface soil & timber like the last

*North Corrected the line North between Sec. 21 & 22*

- Set 1/4 Sec. post. at average distance on true  
 line, when a Sugar 11 inches diam. brass N 56 E.  
 18 lbs. & a Beech 9 inches diam. brass N 65 W 27 lbs  
 Continued on true line & fell 79 lbs west of temporary  
 post & moved to the corner Cor. of Sec. 15, 16, 21, & 22  
 when a Beech 18 inches, brass N 45 W 27 lbs. & a  
 Sugar 12 inches, brass N 86 E. 25 lbs

*West Thence West between 16 & 21. & moved the 1/4 sec post*

- to the average distance, when a Hickory 14 inches  
 brass N 28 E. 5 1/2 lbs & a Beech 6 inches brass S 48 W.  
 20 1/2 lbs.

*East Thence East between Sec. 15 & 22.*

- Set 1/4 Sec. post on true line, at average distance  
 when a Beech 20 inches, brass N 73 W. 25 lbs & a  
 Sugar 18 inches, brass S 74 E. 33 lbs.

North Hence North on true line, from center post between sec<sup>s</sup> 15 & 16. Set  $\frac{1}{4}$  sec. post at average distance on true line where a sugar 5 inches, brass 4 1/2 in. 6 1/2 in, & a blue ash 9 inches, brass 1 1/2 4 & 2 1/2 in. Continue north to the post cor. to sec<sup>s</sup> 9, 10, 15 & 16

East Random line between sec<sup>s</sup> 18 & 19 S. V. R. 1. W.  
22.15 Logick 50 the side, course South. Some water standing in holes.

34.85 A water course 20 the side course S. W. 1<sup>st</sup> water

40.00 Set temporary  $\frac{1}{4}$  sec post.

47.80 A water course 10 the side course S. W. (no water)

80.00 Set temporary center post. This mile moderate ridges 2<sup>nd</sup> rate land. Timber, Poplar Beech Oak ash &c. Spice.

East Continued East between sec<sup>s</sup> 17 & 20.

14.50 A water course 10 the side course S. W. No water

40.00 Set temporary  $\frac{1}{4}$  sec post.

70.85 A water course 8 the side, course S. E. No water

79.20 Fell 117 the south of the post, cor. to sec<sup>s</sup> 16, 17, 20 & 21. This mile fine farming land, 1<sup>st</sup> rate, tolerably level. Timb. ash sugar Walnut Oak &c. Spice & abundance of fruit.

West Corrected the line west between sec<sup>s</sup> 17 & 20.

Set  $\frac{1}{4}$  sec<sup>s</sup> post on true line at average distance.

Corrected the line between sec<sup>s</sup> 18 & 19 S. V. R. 1. W.

Set  $\frac{1}{4}$  sec. post. on true line, at average distance.

North Random line North between sec<sup>s</sup> 19 & 20. S. V. R. 1.

40.00 Set temporary  $\frac{1}{4}$  sec post.

71.37 A water course 20 the side course S. E. No water

79.10 Exp the East & West line. This mile moderate ridges 2<sup>nd</sup> rate land. Timber ash Sugar Beech &c. Spice

## S. 1. + V. R. 1. W.

North Continue North between Sec<sup>s</sup> 17. + 18.

34.50 A water course 10 ft wide curved West. no water

40.00 Set temporary  $\frac{1}{4}$  sec. post

44.84 A water course bran S.W. no water

79.70 Thence to the west of the post corner of sections 17, 18, 19, + 20. This mile good 2<sup>nd</sup> rate land lays level Timber Beech Oak ash &c. Spice &c

South Corrected the line South between Sec<sup>s</sup> 17, 18, 19, + 20. Set  $\frac{1}{4}$  sec. post, at average distance on true line when a Beech 10 inches, bran N. 57 W. 3 lbs. & a W. Oak 30 inches, bran N 61 E. 8 lbs.

South Continued South on true line of sec 18 to the west of temporary post. moved it to the center cor. to Sec<sup>s</sup> 17, 18, 19, + 20 when a Beech 10 inches, bran N 9 W 8  $\frac{1}{2}$  lbs & a Beech 11 inches, bran S. 56 W. 7 lbs

West. Thence west between Sec<sup>s</sup> 18 + 19. & moved the  $\frac{1}{4}$  sec post to the average distance when a Sugar 9 inches, bran S. 25 E. 6 lbs & a W. Walnut 20 inches, bran N 11 E 19 lbs. Thence East between Sec<sup>s</sup> 17, + 20. & moved the  $\frac{1}{4}$  sec post to the average distance, when a Beech 5 inches, bran S. 3 E. 23 lbs. & a Sugar 6 inches, bran N 20 E. 5  $\frac{1}{2}$  lbs.

South Thence from center post South on true line between Sec<sup>s</sup> 19, + 20. Set  $\frac{1}{4}$  sec. post at average distance when Beech 9 inches, bran N 86 E. 14 lbs & a Beech 6 inches, bran S. 26 W. 14 lbs. Continued on true line to cor. of Sec<sup>s</sup> 19, 20, 21, + 30.

West, Random line west between Sec<sup>s</sup> 21, + 30. S. V. R. 1. W.

19.50 A water course 5 ft wide bran N.W. (no water).

40.00 Set temporary  $\frac{1}{4}$  sec. post

55.35 A water course 20 ft wide curved South (no water)

80.00 Set temporary center post, this mile 1<sup>st</sup> rate land  
large hills, Timber, ash, Locust Beech Sugar Elm  
Walnut pawpaw Spice &c.

---

West Continued West between Secs 30 & 31 T. 1. R. 1. W.

27.40 A water course 200 yds wide course S.W. Nowater

40.00 Set temporary 1/4 Sec. post.

50.05 A Brook 15 yds wide course S.

81.58 Set 16 lbs of Post Cor. to Sec 31 & 32. 1<sup>st</sup> rate  
land large ridges. Timber as above.

---

East. Corrected the Line East between Secs 30 & 31

Set temporary 1/4 Sec post at average distance,

Corrected the line between Secs 29 & 30. 1 set temporary  
1/4 Sec post at average distance on this line.

---

North Between Secs 31 & 32 T. 1. R. 1. W.

40.00 Set temporary 1/4 Sec post.

54.08 In creek 40 yds wide, course S.W.

68.57 A Brook 10 yds wide course S.E.

70.00 Same Brook S.W.

81.10 Cross the East & west line, this mile 1<sup>st</sup> rate land, very  
broken. Timber ash Elm Beech &c.

---

North Continue North, between Secs 29 & 30 T. 1. R. 1. W.

40.00 Set temporary 1/4 Sec. post

45.80 A Brook 8 yds wide course N.W.

55.25 A Brook 25 yds wide course S.W.

64.54 A Brook 15 yds wide course S.E.

79.67. Set 150 lbs east of the post. cor. to Secs 19, 20, 29, 30. This  
mile 2<sup>nd</sup> rate land, very broken

---

South Corrected the line, South between Sec 29 & 30

Set 1/4 Sec post. at the average distance on true line

where a Honey Locust 20 inches diam N 50 W 11 yds & a

Beech 13 inches, trunks 4. 196. 30 yds. Continued on true



## T. 1. &amp; 2. R. 1. W.

line & fell 65 lbs next of temporary post. moved it to the center cor. to sec. 29, 30, 31. & 32. when a Sugar birch, bears N 24 E. 29. lbs & a Blue Oak 13 inches, bears S. 47. W. 30 lbs. Thence East between sec 29 & 32 I moved the  $\frac{1}{4}$  sec post to the average distance. When a w. Oak 10 inches, bears S 17 E 9 lbs, & a Sugar 7 inches, bears N 65 W 7 lbs.

West Thence West between Sec. 30. & 31, moved the  $\frac{1}{4}$  sec. post to the average distance. when a Buckeye 8 inches, bears S. 41 E 26 lbs & a Blue Oak 18 inches, bears N 33 E 20 lbs.

South Thence South on true line from center post between Sec. 31. & 32, Set  $\frac{1}{4}$  sec post at average distance when a Beech 30 inches, bears S. 28 E. 7 lbs. & a Beech 7 inches, bears S. 75 W. 43 lbs. Continued on true line to corner of Sec. 31. & 32. Marked the corner by the plan.

South Proceeded South to the River. T. 1. R. 1. W.

5.17 Set a post, from which a Sycamore 18 inches, dia. bears N 35 E. 7 lbs. & a Sycamore 7 inches, bears N 77 W. 20 lbs. Marked the trees by the plan

South Random Line south between Sec. 27. & 28.

25.30 At Brook 7 lbs wide, course East. No water.

78.76 Set temporary post. Land very broken &c.

West Random Line west between Sec. 27. & 34. T. 2. R. 1.

40.00 Set temporary  $\frac{1}{4}$  sec post

68.10 Cross Bryan's creek, 100 lbs wide Course S. E.

80.00 Set temporary center post. 2<sup>nd</sup> rank land, All Buck flat

West Continue West between Sec. 28 & 33.

40.00 Set temporary post

53.80 At Brook 8 lbs wide Course S. W.

74.46 Fell 173 lbs North of the post, cor. to Sec. 28, 29, 32. & 33.

Good 2<sup>nd</sup> rate land, very broken. Timber Oak, Oak, Sugar Walnut, Buckeye &c. Spice & Prunus.

East. Connected the line East between Sec. 28 & 33. T. 1. & V. R. 1. W.  
 Set temporary  $\frac{1}{4}$  sec. post at average distance on  
 true line, when an Elm 18 inches, bears S. 34. E. 6. lks  
 & an Ash 20 inches, bears N. 54. W. - Thence to center  
 post cor. to Sec. 27. 28. 33. & 34 when a Beech 12 in.  
 bears N. 40 E. 19 lks. & a Beech 9 inches, bears S. 8 W. 16 lks  
 marked the trees by the plan. Continued East,  
 from center post to set 94, set post at average distance  
 on true line when a Beech 5 inches, bears N. 77  $\frac{1}{2}$  W. 19  
 lks. & a Beech 20 inches, bears S. 5 E. 3 lks. Thence to  
 the corner of Sec. 26. 27. 34 & 35.

East, Run & Marked a line from corner of Sec. 26. 27.  
 34 & 35. T. 1. & V. R. 1. W.

14.00 Sand run 10 lks wide Course S.W.

53.25 A poplar 60 inches in dia.

70.00 Spring branch course North 8 lks wide

80.00 Set temporary center post, 1<sup>st</sup> rate land, moderate  
 ridges & descents. Timber ash & Beech Sugar Poplar  
 &c.

East. Continued East, between Sec. 25. & 36 T. 1. & V. R. 1. W.

36.25 A Spring Branch 8 lks wide course North

40.00 Set temporary  $\frac{1}{4}$  sec. post.

75.70 Spring branch bears East on the line

80.00 A Post corner to Sec. 25. 26. T. 1. & V. R. 1. & corner to

Sec. 30. 31 T. 1. R. 1. East of the Meridian, when  
 a Beech 28 inches, bears S. 62. E. 29 lks. & a Beech  
 7 inches, bears N. 48 W. 18 lks. This mile 2<sup>nd</sup> rate  
 land & has some few moderate ridges. Timber,  
 Oak, Sugar, Beech, Poplar, Gum, Spice &c  
 Marked the trees by the plan.

## S. 1. + 2. R. 1. W.

South Travelled to the last cor. of Sec. 25 & 36. S. 2. R. 1. W.

Ran & shared South to the river.

40.00 A Black Oak 3 inches, dia.

64.00 A Large Swamp extend, S. W. & N. E. 150 lbs wide

75.00 A terrible Swamp covered with rose bushes & other  
brush, mud, water, snakes &c.

80.00 A Beech 7 inches, dia. This mile 2<sup>nd</sup> rate land & level  
Timber Beech Sugar Poplar Oak. ash &c. &  
proceeded,

South in S. 1. R. 1. W.

8.18 To the River at an Elm 9 inches, dia. marked  
with 3 notches, on North side. The land same.

North Shared North between Sec 25 S. 2. R. 1. W. & Sec. 30  
S. 1. R. 1. E. (below Miami).

37.50 Ascending from the port to this place, East side of a  
Sleep Ridge.

61.05 A Sycamore 18 inches, dia. marked on 3 sides, with  
3 notches, on each, 3<sup>rd</sup> rate land on this line no  
uniform ascent & descent. Marked the bushy place

South Moved to the corner of Sec. 25 & 36. S. 2. R. 1. W.

Ran & shared the line between Sec. 25 & 36.

40.00 Set temporary 1/4 sec port

64.00 A Brook 40 lbs wide toward S. W.

80.00 Cross the East & west line 100 lbs East of temporary port  
move into the center corner to Sec. 25. 26. 35 & 36. when  
a Poplar 40 inches, diam, N. 21. E. 19 lbs & a Blue Oak  
18 inches, diam S. 7. W. 7 lbs. This mile moderate  
ridges. Timber mostly oak. 2<sup>nd</sup> rate land.

East Between Sec. 25 & 36. & moved the 1/4 sec. port to the  
average distance, when a Beech 6 inches, diam, N. 19  
E. 13 lbs & a Beech 4 inches, diam. S. 15 1/2 W. 16 lbs.

West Thence West between Sec. 26 & 35, turned the  $\frac{1}{4}$  Sec post to the average distance, when a ..... Birch, that bears S. 4 N. 9 lbs. & a Buck 20 inches, bears N 4 W 11 lbs

North Thence North between Sec. 25 & 26 & turned the  $\frac{1}{4}$  Sec post to the average distance, when a Buck 24 inches, bears S 76 W. 30 lbs & a Buck 16 inches, bears N 60 E. 7 lbs

South Continued South from center post, between Sec. 35 & 36. S. V. R. I. W.

71.80 Bore 10 lbs wide course S. W.

76.33 Bank of Ohio River at low water mark, then set a post from which a sycamore 3 inches dia. bears N 10 W. 100 lbs. & an Elm 10 inches, bears N 47 E. 100 lbs. Marked so by the plan, as the Land has been sold & it is unnecessary to establish a  $\frac{1}{4}$  Sec post, July 27. 1855.

West  $\frac{1}{2}$  Boundary of Township N<sup>o</sup> 1. Range N<sup>o</sup> 1. W of the 1<sup>st</sup> Meridian.

South 1<sup>st</sup> Mile South from the Northwest corner.

18.34 A Buck 20 inches dia.

26.50 A large Cand. Maple all killed by the snow frost

34.36 A. Sugar tree 18 inches dia.

42.00 A Post on the Bank of the Ohio, from which a Sycamore 6 inches dia. bears N 73 E. 60 lbs. & another Sycamore 6 inches, dia. bears S 35 W. 25 lbs. From the town corner. The land 1<sup>st</sup> rate & of a superior quality. Timber Ash, Oak, Elm, Sugar tree, Poplar, Beech &c. No underbrush. Marked the trees by the plan. May 1<sup>st</sup> 1799.

The Meanders of the Ohio River on Township N<sup>o</sup> 1. Range N<sup>o</sup> 1. West of the Meridian. Commenced



## S. 1. &amp; 2. R. 1. W.

at the point between Sec. 1. S. 1. R. 2. & Sec. 16. S. 1. R. 1  
West of the Meridian.

N 78° E. 5.00

N 64° E 2.95

N 61° E 15.05

N 47° 30' E 8.58

From the point the land extraordinary rich  
level & new timbered

N 45° 30' E 4.12

N 55° 30' E 10.97

N 64° E 14.21

11.50. The mouth of Dain Creek 110 lbs wide  
steep muddy banks.

N 77° E 3.33

N 55° 30' E 21.31

Abundance of beautiful Limestone for building

N 50° E 9.55

N 24° 30' E 2.37

To a sycamore corner of Sec 5 S. 1. R. 1. & corner  
of Sec. 34. S. 2. R. 1. West of the Meridian.

The Meander of the Ohio River in Township  
No. 2. Range No. 1. West of the Meridian.

Commenced at the corner of Sec. 5. S. 1. & cor. Sec.  
34. S. 2. R. 1. W of the Meridian. Thence up River.

N 80° E 1.84

N 55° E 7.20

N 55° 30' E 35.00

N 61° E. 2.50

The commencement of a sand beach

N 55° E 22.09

N 64° E 12.14

N 18° 30' E 3.27

Point between Sec. 32 & 33. S. 2. R. 1. W.

N 67° E 2.85

N 60° E 7.93

N 49° 45' E 19.65

N 86° E 16.40

N 71° E 3.50

200 Yards the mouth of Brian's Creek 150 lbs wide  
entire from N. 52° E.

S. 83° E 15.72

S. 77° 45' E 5.12

S. 76 E	32.55	
Cast	22.85	
S. 88. E	34.38	
S. 86. E	14.65	
N 61.30 E	1.77	To a post, between Secs 34 & 35 T. 2. R. 1. W. two improvements on each side of the post June 5 1799
S. 71. E	4.03	
S. 80.30 E	6.61	
S. 87 E	10.19	
S. 85 E	4.14	
S. 79 E	2.65	
N 76.30 E	2.00	
S. 64.30 E	5.90	
S. 76 E	5.06	
S. 73 E	20.60	
S. 86 E	3.14 1/2	
S. 80. E	3.87	
S. 78 E	5.21	
S. 67 E	4.62	
S. 75.30 E	4.64	
S. 77.30 E	4.78	
S. 76 E	5.43	4 <sup>th</sup> a Spring rises low in the Bank
S. 70 E	4.35	
S. 77.30 E	11.77	
S. 87. E	3.81	
S. 83 E	19.50	A number of small Springs of excellent water rise low in the bank, land rich & level.
Cast	7.97	
N 86 E	12.53	From the 1 <sup>st</sup> mentioned Spring there has been a succession of them, good & well tasted water the bank sandy. here measured the river & found it 20.48 miles
N 77.30 E	7.50	
N 76 E	12.65	
N 73 E	5.45	
N 64 E	11.84	

## S. 1 + V. R. 1 W.

N 32.30 E 5.24

N 40.2 E 6.36

N 27 E 7.40. On Kentucky side enters a small stream S. 40 W.

N 20 E 4.48

N 10 E 7.48 260 lks. a small stream on Kentucky side  
Enters N. 14 W.

N 3 E 4.12

N 2 W 6.92

N 4 W 5.82

N 11 W 15.38 On Improvement

N 19 W 2.83

N 17.30 W 2.56

N 13.30 W 1.37

N 18 W 7.15

N 24.30 W 5.76

N 20.30 W 8.40

N 17 W 3.13

N 21 W 3.00 From the improvement the bank land rich covered with brush.

N 34.30 W 3.34

N 26 W 2.98

N 27 W 10.72 A water course from the North on the Kentucky side

N 34 W 9.84

N 32 W 3.74

N 36.30 W 3.11 Abundance of beautiful limestone for building

N 33 W 5.85

N 35 W 11.23 725 lks. a spring of excellent water in bank

N 42 W 31.56

N 36 W 1.11. To post between Sec. 24 + 25 S. 2. V. 10. 1. W.

N 31.30 W 7.84

N 39 W 21.09

N 17.30 W 2.73

N 24.30 W 26.54

N 12 W 25.29 6.50 here ends the limestone bank and deep gutter

N 9 W 8.20

N 14.30 E 20.87

N 24 E 15.97

N 31.30 E 23.69 7.50 On Improvement

N 40° E 13.73. 1.50. A Deep gutter hole, wide + small stream  
 N 23° 30' 1.15 Iron Elm corner to Sec 13. S. 2. + Range 1.  
 West + Cor. of Sec. 18. S. 1. R. 1. East. of the  
 Meridian

---

Surveyed by Benjamin Chambers C. S.  
 A. C. 1799.

I certify that the foregoing transcript of field notes of the survey of Township N. 2, in Range N. 1 East (below the Miami) and Townships N. 1 & 2, in Range N. 1 West of the 1<sup>st</sup> Principal Meridian, in the State of Indiana, has been compared with the original on file in this office and found to be correct.

Surveyor General's Office,  
 Cincinnati, Feb. 6. 1841

P. D. Laine  
 Sur. Gen.